

## Shoreline Structures Permit Required Documentation:

Prior to submitting your application, you may require other agency approvals.

### 1. Ministry of Natural Resources and Forestry (MNRF)

The MNRF introduced changes to their requirements for docks and single-story boathouses 15 square meters or less. Amendments were made to Ontario Regulation 239-13 <https://www.ontario.ca/page/crown-land-work-permits> including the wording around the placement of structures on shore lands. Section 2 (1) reads:

2(1) No person shall carry out any of the following activities except under the authority of and in accordance with the terms and conditions of a work permit that authorizes the activity:

1. Construct or place a building on public land.
2. Construct a trail, water crossing or road on public land.
3. Dredge shore lands
4. Fille shore lands
5. Remove invasive aquatic vegetation or native aquatic vegetation by mechanical means or by hand from shore lands.
6. Construct or place a structure or a combination of structures that is in physical contact with more than 15 square meters of shorelands. O. Reg. 239-13, s. 2(1); O. Reg. 160/17, s. 2(1). **(A work permit will be required for certain activities on shore lands, for example: installing cribs with a cumulative area of more than 15 m<sup>2</sup> in physical contact with shore lands)**

### 2. Occupational Authority on Crown Land

MNRF is the first point of contact. The central email for questions and completed application is [psdistrict.mnrf@ontario.ca](mailto:psdistrict.mnrf@ontario.ca). In their application, you will notice that there is an “attestations page.” It is the applicant’s responsibility to complete this and to make sure you comply with an existing legislations or approvals. You will see reference to the Department of Oceans and Fisheries (DFO) on that page *“the construction or placement of the proposed structured complies with the following...all applicable requirements under the Fisheries Act.”*

In some circumstances, you may be proposing work that is outside the scope of a dock or single-story boathouse (e.g., there is dredging involved, which requires the authority of a work permit). In an application where specific DFO comments required (such as a work permit application), that is also an applicant-driven process. In those cases, the applicant is responsible to obtain comments and submit them to the DFO office.

Comments can be received from DFO by sending an email with the proposed work location, site map and plan sketch to [fisheriesprotection@dfo-mpo.gc.ca](mailto:fisheriesprotection@dfo-mpo.gc.ca).

DFO will review the application and respond by email, include this response with the application documents the applicant submits.

### 3. Trent Severn Waterway

If your property is on the Trent Severn Waterway, you may need their approval. For their requirements and applicable applications see [Parks Canada website](#) for policies regarding in-water, shoreline works and related activities. If approvals required, please include with the application documents at time of building permit submittal.

As an applicant, submit the following documents that form part of a complete application:

1. **Site plan** to scale including the following information:
  - Location of all structures on the property (distinguish between existing and proposed) **\*\*includes\*\*** docks, boathouses, detached garage, wooden walkways, sheds, septic and well.
  - Setback distances from property lines, lakes, septic systems, wells, and other buildings
  - Septic location – both the tank and the bed
  - Driveway entrance
  - Hydro lines, above or buried – indicate the location and distance from the buildings and whether they are primary or secondary line.
  - North arrow
2. **Schedule 1 – Designer Information Sheet** for each qualified individual who reviews and takes responsibility for the design.
3. **Construction drawings of proposed structure**
  - Including existing structure if the project is for an addition/alteration.
  - Including building floor plan
  - Elevation (s), section, and structural information that accurately describe the project.

All steel docks that will support a structure must also comply with Steel Dock with Structure Permit Policy (see attached).

4. **Submit a copy of any applicable ministry and/or agency approvals** for example, the Land Use Permit (LUP) from the MNRF or the Trent Severn Waterways.

## Steel Dock with Structure Permit Policy

Steel docks that are to support a superstructure require a design by a professional engineer.

- The Ontario Building Code states in Sentence 4.3.4.1 (1) that structural steel be designed in accordance with CAN/CSA S16 “Limit States Design of Steel Structures”. This design is required to obtain a building permit.

Fabricators and erectors responsible for making welds for structures fabricated or erected under this Standard shall be certified by the Canadian Welding Bureau to the requirements of CSA Standard W47.1 (Division 1 or Division 2).

1. A “Letter of Validation” is required from the fabricator to verify certification. Companies certified in Division 1 or 2 are required to employ or retain Welding Engineer.
    - These Welding Engineers are an essential component of a company’s certification and perform many tasks including the review of drawings for welding connection details and welding symbols, and the preparation of welding procedure data sheets.
    - Note that the structural Engineers who complete the design drawings are not considered as one of the requirements of certification. It is possible, however, that the structural Engineer and Welding Engineer may be the same person.
    - The company that employs the welder must also have an individual qualified by the Canadian Welding Bureau as a supervisor.
    - The supervisor is responsible for supervising the welder carrying out the welds on the structure. All welders employed by the certified company must hold valid qualifications issued by the Canadian Welding Bureau.
  2. A “Welding Supervisor Certification” is part of the application to the Building Department.
  3. Submit the Engineer’s Report before starting construction above the dock.
  4. Submit the certificates of qualification to the municipality for both the welder and supervisor, accompanied by a letter stating they have a contract to construct the superstructure.
  5. Submit the Final Engineer’s Report for the dock and superstructure to the building department. The Engineer’s Report will state that the structure has been constructed in accordance with the design.
-